

Easy Online Tools for Quick Selection and Application


New selection program, 3-D CAD models, e-catalog, and interchange guide make selecting the right coupling simple!

www.TBWoods.com/Select

- TB Wood's selection program makes applying Sure-Flex Plus easy.
- Program will generate a bill-of material and assembly drawing that can be sent to customer.
- Particularly useful when applying a smaller Sure-Flex Plus coupling in an existing application.

www.TBWoods.com/Support

Our application engineering team is here to help with difficult or unusual applications.



Sure-Flex PLUS
EPDM and Neoprene Sleeves

NEW


TB Wood's
Incorporated

Scan to Watch
Sure-Flex Plus Video

Sure-Flex Plus[®] Maintenance Savings Calculator

Calculate your savings by visiting:

www.SureFlexPlus.com



Scan to download
the Sure-Flex Plus
Maintenance
Savings Calculator



For more information on Sure-Flex Plus visit www.TBWoods.com and www.AltraLiterature.com to request or download literature.



Call 1.888.TBWOODS
www.TBWoods.com

The operating and performance characteristics of these products may vary depending on the application, installation, operating conditions and environmental factors. Neither the accuracy nor completeness of the information contained in this document is guaranteed by TB Wood's and may be subject to change in its sole discretion.

©2015 by TB Wood's Incorporated. All rights reserved.

TB Wood's Terms and Conditions of Sale can be reviewed at http://www.altramotion.com/tandc/tb_woods_sales_terms.pdf. These terms and conditions apply to any person who may buy, acquire or use a TB Wood's product referred to herein, including any person who buys from a licensed distributor of these branded products.

P-7819-TBW 7/17



INTRODUCING THE NEW
Sure-Flex[®] PLUS

NEW Sure-Flex Plus
EPDM & Neoprene
Sleeves





Sure-Flex® PLUS+

For over 50 years, TB Wood's has led the coupling industry with the original TB Wood's Sure-Flex design. And we haven't stopped innovating: this industry favorite just got even better.

Our new Sure-Flex Plus EPDM and Neoprene sleeves are best-in-class for coupling performance and value. Here's why:

NEW Sure-Flex Plus EPDM & Neoprene Sleeves

High Torque Rating

30% Increased Torque Rating

Provides longer service life in demanding applications, reducing required maintenance and associated replacement cost.

Longer Life

Sure-Flex Plus Lasts Over 3X Longer than the Competition

Extensive testing shows our sleeves outlast the imitators. More uptime means less costly downtime.

Better Value

Save Money Using a Smaller Coupling


The increased rating of the Sure-Flex Plus sleeves lets the user choose a one-size-smaller coupling for over 50% of common applications. This lowers the cost of both initial purchase and future sleeve replacement.

Interchangeable

Retrofits to Existing Flanges

No need to replace the full coupling – The Sure-Flex Plus sleeve design is 100% compatible with the current industry standard that TB Wood's created over 50 years ago.

Sure-Flex Plus® vs. Competitive Sleeves



Sure-Flex Plus®: A New Standard for Performance

- TB Wood's original Sure-Flex design boasts over 50 years of proven performance.
- Our coupling design has been copied by others but never equaled!
- Highly flexible element = long equipment life & low vibration.
- Superior rubber compounds provide unequaled performance.
- No lubrication = low maintenance.
- Quick & easy installation. No bolts, gaskets, covers, or seals.
- Widest selection of sizes and styles on the market.
- Standard AGMA clearance fits and keyways.

Sure-Flex Plus Horsepower and Torque Ratings

Size	Old HP @ 1750 RPM	NEW HP @ 1750 RPM	Old Torque (in lb)	NEW Torque (in lb)
3	1.7	2.2	60	78
4	3.3	4.3	120	156
5	6.7	8.7	240	312
6	12.5	16.2	450	585
7	20	26	725	940
8	32	41	1135	1475
9	50	65	1800	2340
10	80	104	2875	3735
11	126	164	4530	5890
12	200	260	7200	9360
13	315	410	11350	14755
14	500	650	18000	23400

HP @ 1750 RPM	Old Size	NEW Size
20	8	7
30	9	8
50	10	9
75	11	10
125	12	11
200	13	12

Service Factor: 1.25