



# High Energy Clutch Solutions for Dredging Applications



## ALTRA INDUSTRIAL MOTION CORP. PROVIDES POWER TRANSMISSION SOLUTIONS FOR MARINE PROPULSION, MOORING AND DECK EQUIPMENT NEEDS

As leading multinational designers and manufacturers of innovative power transmission products, the companies of Altra Industrial Motion Corp. offer critical components for a wide range of marine applications.

Altra Industrial Motion Corp. utilises advanced technologies and materials together with extensive application expertise and world-class engineering capability to provide reliable clutches and brakes, couplings, pump mounts, gear drives, belted drives and more. Preferred by marine OEM's, Altra products are designed to provide dependable performance in challenging marine environments.


Altra engineered power transmission products are installed in a variety of marine applications including main propulsion and thruster drives, anchor handling & mooring winches, fire pumps, dredge pumps, cranes and hoists, davits, generators and compressors.

## DREDGING INDUSTRY DRIVE SOLUTIONS

**Wichita Clutch** has engineered a series of high-energy capacity clutches specifically to meet the demands of the international dredging industry. Developed from the proven "MSV" range, the use of a sintered metal friction material permits a significantly increased heat-dissipation capability as well as extending the wear-life of linings by an order of magnitude compared to traditional organic material.

These high-heat dissipation clutches are the ideal solution for the high-speed engagement, extended slip times and long ramp-up durations associated with the drive types found in the dredging industry. Decades of experience have culminated in designs that are optimised for long life while minimising the maintenance burden and reducing any required servicing times typical of more traditional clutch units.

[www.Altra-Marine.com](http://www.Altra-Marine.com)



## INNOVATIVE CLUTCH DESIGN

- Pin drive and open ring for improved cooling
- Radial remove option for rapid lining replacement
- Sintered linings for high energy and long life

Sintered copper alloy friction material is at the heart of the Wichita MSV-HE design. The clutch plate facings can withstand much higher interface temperatures than organic derived equivalents. As well as increased mechanical strength, they are able to handle extremely high peak power inputs, for longer periods, while exhibiting substantially reduced wear-rates.

The Wichita Clutch air-tube design combines all the best features of a disc type clutch with all the advantages of direct air engagement. It is the simplest and most trouble-free method of applying air pressure actuation where accurate, proportional control of a clutch is fundamental to the longevity of its operation.



Wichita 'MSV-HE' Clutch Assembly

## MSV-HE Clutches

### Wichita Clutch

- Air-applied with sintered metal friction material
- No adjustment or lubrication required
- Highly stable torque capacity unaffected by centrifugal forces
- High heat capacity
- Multi-plate designs up to 1500 mm diameter for high torque applications
- Pin-drive arrangement creates an open ring design for improved cooling flow and dust ejection whilst providing clear visual inspection opportunities for maintenance planning
- Separator springs eliminate freewheeling drag
- Designed and built for the marine environment
- Easily integrates with all leading flexible coupling brands

## CUTTER HEAD DRIVES

Modern day cutter head drives require a high torque compact clutch solution designed to deal with the high cutting powers and high driven speeds associated with the new generation of 'Mega' Cutters.

Combining high energy sintered friction in a multi-plate design keeps clutch diameters small while delivering a high torque slipping capability in overload mode for cutter protection in the event of a cutter stall. Pneumatic actuation in combination with specially developed controls allows for rapid slip detection and clutch disengagement to protect the drivetrain.

## DREDGE AND JET PUMP DRIVES

As the trend for diesel engines of lighter construction and increasingly dual fuel compatibility continues, the need for a reliable clutch system that can engage at elevated engine idle speeds and offer extended acceleration times can dramatically improve the pump start up profile whilst limiting the power demand from the diesel engine.

The sintered metallic 'high energy' friction clutch provides a greater thermal mass capable of withstanding extremely high start and overload slipping energy events with minimal friction wear when compared to similar sized organic friction clutches.

The dredge pump drives are critical to the operation of any dredging vessel and therefore a robust reliable clutch solution is essential in keeping maintenance and costly downtime to a minimum.

## INTEGRATED CONTROLS

The effectiveness of any clutch solution in dredging applications is heavily reliant upon a well configured interface with the 'dredge master' controls.

Wichita can provide a full range of electro pneumatic control systems to suit the specific requirements of cutter and dredge pump drives. Bespoke systems (with optional touch-screen HMI) designed in collaboration with the end user, together with an extensive range of proven 'standard' controls, are available upon request.



Typical Wichita clutch control cabinet and panel

## Wichita Clutch Facilities

### North America

#### USA

2800 Fisher Road  
Wichita Falls, TX 76302 - USA  
940-723-3400

*Pneumatic Clutches  
and Brakes*

### Europe

#### United Kingdom

Amphill Road  
Bedford MK42 9RD - England  
+44 (0) 1234 350311

*Pneumatic Clutches  
and Brakes*

### Asia Pacific

#### Australia

+61 2 9894 0133

#### China

+86 21 5169-9255

#### Hong Kong

+852 2615 9313

#### Singapore

+65 6487 4464

#### Taiwan

+886 2 2577 8156

#### Thailand

+66 2322 5527

## The Brands of Altra Motion

### Couplings

**Ameridrives**  
[www.ameridrives.com](http://www.ameridrives.com)

**Bibby Turboflex**  
[www.bibbyturboflex.com](http://www.bibbyturboflex.com)

**Guardian Couplings**  
[www.guardiancouplings.com](http://www.guardiancouplings.com)

**Huco**  
[www.huco.com](http://www.huco.com)

**Lamiflex Couplings**  
[www.lamiflexcouplings.com](http://www.lamiflexcouplings.com)

**Stromag**  
[www.stromag.com](http://www.stromag.com)

**TB Wood's**  
[www.tbwoods.com](http://www.tbwoods.com)

### Linear Systems

**Thomson**  
[www.thomsonlinear.com](http://www.thomsonlinear.com)

### Geared Cam Limit Switches

**Stromag**  
[www.stromag.com](http://www.stromag.com)

### Engineered Bearing Assemblies

**Kilian**  
[www.kilianbearings.com](http://www.kilianbearings.com)

### Electric Clutches & Brakes

**Matrix**  
[www.matrix-international.com](http://www.matrix-international.com)

**Stromag**  
[www.stromag.com](http://www.stromag.com)

**Warner Electric**  
[www.warnerelectric.com](http://www.warnerelectric.com)

### Belted Drives

**TB Wood's**  
[www.tbwoods.com](http://www.tbwoods.com)

### Heavy Duty Clutches & Brakes

**Twiflex**  
[www.twiflex.com](http://www.twiflex.com)

**Stromag**  
[www.stromag.com](http://www.stromag.com)

**Svendborg Brakes**  
[www.svendborg-brakes.com](http://www.svendborg-brakes.com)

**Wichita Clutch**  
[www.wichitaclutch.com](http://www.wichitaclutch.com)

### Gearing & Specialty Components

**Bauer Gear Motor**  
[www.bauergears.com](http://www.bauergears.com)

**Boston Gear**  
[www.bostongear.com](http://www.bostongear.com)

**Delevan**  
[www.delevan.com](http://www.delevan.com)

**Delroyd Worm Gear**  
[www.delroyd.com](http://www.delroyd.com)

**Nuttall Gear**  
[www.nuttallgear.com](http://www.nuttallgear.com)

### Engine Braking Systems

**Jacobs Vehicle Systems**  
[www.jacobsvehiclesystems.com](http://www.jacobsvehiclesystems.com)

### Precision Motors & Automation

**Kollmorgen**  
[www.kollmorgen.com](http://www.kollmorgen.com)

### Miniature Motors

**Portescap**  
[www.portescap.com](http://www.portescap.com)

### Overrunning Clutches

**Formsprag Clutch**  
[www.formsprag.com](http://www.formsprag.com)

**Marland Clutch**  
[www.marland.com](http://www.marland.com)

**Stieber**  
[www.stieberclutch.com](http://www.stieberclutch.com)

Neither the accuracy nor completeness of the information contained in this publication is guaranteed by the company and may be subject to change in its sole discretion. The operating and performance characteristics of these products may vary depending on the application, installation, operating conditions and environmental factors. The company's terms and conditions of sale can be viewed at <http://www.altramotion.com/terms-and-conditions/sales-terms-and-conditions>. These terms and conditions apply to any person who may buy, acquire or use a product referred to herein, including any person who buys from a licensed distributor of these branded products.

©2020 by Wichita Clutch LLC. All rights reserved. All trademarks in this publication are the sole and exclusive property of Wichita Clutch LLC or one of its affiliated companies.