



## Product

## Wichita Dual Actuator AquaMaKKs Brake

## Application

## Drilling Rig Drawworks

## Highlights

- Unique dual-action head assembly provides:  
Primary spring-set failsafe parking and precision tensioning
- 750,000 lbs. static torque, 3,400 HP dynamic tensioning
- Simple visual inspection and easy maintenance
- Dual actuator assembly can be easily retrofit onto existing single actuator brakes

A major drawworks manufacturer asked Wichita to provide a simplified, cost-effective dual-function braking solution for use on land-based drilling rigs. In response, Wichita supplied an AquaMaKKs™ water-cooled brake featuring a dual-action assembly that provides both spring-set failsafe parking and precision tension braking capability in one unitized assembly.

The application required a primary static parking brake with a torque rating sufficient to hold 750,000 lbs. on 12 lines. For the dynamic tensioning mode, Wichita's patented balanced flow water jackets can absorb up to 3,400 HP, allowing faster operation when compared to competitive units.

The AquaMaKKs units utilize copper wear plates for greater heat absorption and require only one type of friction material for reduced spare part inventory. The AquaMaKKs dual-actuator assembly is designed to allow fast and easy retrofit onto existing single actuator brakes with minimal downtime.

US  
**1-800-964-3262**  
wichitaclutch.com

Europe  
**+44 (0) 1234 350311**

Asia Pacific  
For a list of our AP sales offices:  
altramotion.com/contactus